STATEMENT OF WORK (SOW)

REBUILD OF

RADAR SET AN/PPS-15(V)2

SOW-04-CBG-07581B-1/1 NSN 5840-01-055-8967

STATEMENT OF WORK FOR THE REBUILD of the Radar Set AN/PPS-15(V)2 NSN 5840-01-055-8967

TABLE OF CONTENTS

Paragraph	Title	Page
1.0	SCOPE	1
1.1	Background	1
2.0	APPLICABLE DOCUMENTS	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	REQUIREMENTS	2
3.1	Rebuild	2
3.2	Quality Assurance/Quality Control	2
3.3	Configuration Control	2
3.4	Packaging, Handling, Storage and Transportation (PHS & T)	3
3.5	Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)	3
3.6	Contractor Furnished Materiel (CFM)	3

STATEMENT OF WORK FOR THE REBUILD of the Radar Set AN/PPS-15(V)2 NSN 5840-01-055-8967

1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor in the rebuild effort of the Radar Set AN/PPS-15(V)2, NSN 5840-01-055-8967, ID# 07581B, TAMCN A1415. For purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild. This document contains requirements to restore the Radar Set AN/PPS-15(V)2 to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129

DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

AG00000385

Special Packaging Instructions (SPI)

TM-07581A-34

Direct Support and General Support

Maintenance Manual

Radar Set AN/PPS-15(V)2

TM-07581A-35

Maintenance Prints

Radar Set AN/PPS-15(V)2

TM-07581A-50

Overhaul Instructions

Radar Set AN/PPS-15(V)2

DoD 4000.25-1-M

MILSTRIP Manual

Military Handbook (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASOC 09002-1994

Quality Systems-Model for Quality Assurance

in Production, Installation and Servicing

Industry Standard (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., MCLB, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, may be obtained by contacting: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 REQUIREMENTS

3.1 Rebuild

The contractor shall use the following documents to assist in the rebuilding of the Radar Sets: TM-07581A-50, TM-07581A-34 and TM-07581A-35.

Upon completion, rebuilt Radar Sets shall be in Condition Code "A", as described in paragraph 1.0 to this SOW.

3.2 Quality Assurance/Quality Control

The Contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems-Model for Quality Assurance in Production, Installation and Servicing. Quality acceptance and test procedures shall be in accordance with TM-07581A-50, chapters 2-9, section VI.

3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an items' documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

3.4 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of SPI AG00000385 which may be obtained from Storage and Distribution Department (Code 580), Attn: Business Management Support Branch (Code 581), Suite 20320, 814 Radford Blvd., Albany, GA 31704-0320, commercial telephone number (229) 639-6786 or DSN 567-6786. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.6 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 1704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions are searching existing data sources, gathering and raintainling the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT	LINE ITEM NO.	B. EXHIB	IT	C. CATEGORY:						
				TDP	_	_ TM	Other XX	X		
D. SYSTEM/IT			E. CONTRACT/P	R No.	F. CONT	RACTOR				
Radar	Set AN/PPS-15(V	/)2	l		[
I. DATA ITEM No.	2. TITLE OF DATA ITEM		·		3. SUBTITE	Е				
4.001	Engineering Change Proposal (ECP)					Configuration Management				
A001										
4. AUTHORITY (Da	nta Acquisition Document No	J	5. CONTRACT REFERE	ENCE	·	6. REQUIRING OFFICE				
DI	-CMAN-80639C		D.	aragraph 3.3		MARCOI	PLOCRAS	FC 593		
		- NAME OF PARTY AND INCOME.	1 _	12 DATE OF FIRST	ŠI IDDININIZAT	MARCORLOGBASES 583				
7. DD 250 RBQ. L.T	9. DIST STATEMENT REQUIRED	10. FREQUE	ASREQ	See Blk		14.	STRIBUTION	b. COPIES		
8. APP CODE		II. AS OF D	_	13. DATE OF SUBSEQUENT				FINAL		
a. AFF CODE	(A	III. AS OF DA	DATE	SUBMISSION	* 02	a ADDRESSEE	Draft			
							i		<u> </u>	
16. REMARKS						MCLBA 583-1	0	1	0	
								-		
Block 4 - Cor	ntractor format is	authorize	đ.							
									↓	
Blocks 10 &	12 - ECPs shall b	e suhmitt	ed for all propos	ed changes wh	nich					
	affect the baseling			viimigoo, 111				<u></u>	<u></u>	
permanentry	ancet me baselin	e or a con	ngmation nem.							
					_		\neg		$\overline{}$	
	reviewed and dis	position of	letermined with	in 30 calendar d	lays upor	1	+	 	1	
receipt by the	e government.								 	
	•							├──		
ECP shall be	transmitted via e	-mail to tl	ne following add	lress:				——	<u> </u>	
	onfigmngmnt@m			M C55.				<u> </u>	<u> </u>	
momatcomet	ouri Strini Strini (com	atcontusi	HC.IIII							
!	_									
Distribution :	Statement A: App	proved for	public release,	distribution is u	nlimited.					
									 	
							-}	┼──	├ ──	
								├ ──	↓	
								<u> </u>	<u> </u>	
ĺ								<u></u>		
								1		
									\vdash	
						-	- 	┼	 	
						-			├	
								↓	↓	
								<u>L</u>		
						L				
I										
									1	
									 	
								├──	 -	
						<u> </u>		⊢ —	 -	
									<u> </u>	
						<u></u>		<u></u>	<u></u>	
İ									T	
								<u> </u>	† T	
İ								 		
									 	
						15 777761				
7: DOWDADEN	TDV.		TH [NATE:	II ABBROSSES		15. TOTAL	0		0	
G. PRAPARED	, ————————————————————————————————————	_ //	H. DATE	I. APPROVED I	3 X :	. \	J. DATI	٠,		
	ni O KM		EP 10 000	(11) (LES)	ענא	a. Fam.	11/	7/42	~	
		MUNI	FF J. A. One	DITION MAY BE US	**************************************	7	/			
DU FURNI 14	20-17AUG 70 (EG)		- 14.7.00	Tribon mai be us		Designe	Pa d usine Perform		1 Pages	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 1704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.		B. EXHIE	BIT	C. CATEGORY:						
				TDP			Other XX	<u>X</u>	_	
D. SYSTEM/IT			E. CONTRACT/PF	R No.	F. CONT	RACTOR		- <u></u>		
	Set AN/PPS-15(
1. DATA ITEM No.	2. TITLE OF DATA ITEM	M. (RFD) 3. SUBTITE			3. SUBTITLE					
A002	Ke	Deviation (RFD	')		Configuration Management					
4 AUTHORITY (Do	ta Acquisition Document No	. 1	5, CONTRACT REFERE	NCE		6. REQUIRING OFFICE				
4. ACTIONITI (DA	на жернізіногі госитет 110	•/	Į.			,				
	-CMAN-80640C			ıragraph 3.3		MARCORLOGBASES (583)				
7. DD 250 REQ.	9. DIST STATEMENT REQUIRED	10. FREQUE		12. DATE OF FIRST		14. DISTRIBUTION b. COPIES				
LT	imácum		AS REQ	See Blk		<u></u>				
8. APP CODE	A	11. AS OF D	DATE	13. DATE OF SUBSE SUBMISSION	QUENT . ADDRES	a. ADDRESSEE	Draft	FINAL Reg Repro		
16. REMARKS						MCLBA (583-1)	0	1	0	
	ctor format is au	thorized a	nd shall be subm	nitted in .doc an	ıd .pdf					
format.								1	 	
						<u> </u>		├		
Blk 10 & 12:	RFDs shall be su	ıbmitted t	o obtain authoriz	zation to deliver	•			 		
	ng material whicl						_	 		
documentatio			•				+	 		
						<u> </u>		├		
RFDs will be	reviewed and di	enocition .	determined withi	in 30 calendar o	lave			├ ──		
	by the government		ucterminica with	iii 50 caichdai c	iays			├ —	 	
upon receipt	by the governme	n.						<u> </u>		
nrn 1 11 1		•• .						<u> </u>	<u></u>	
	e transmitted via			dress:				<u>L</u>		
mbmatcomco	onfigmngmnt@m	atcom.usr	<u>nc.mil</u>						<u> </u>	
Distribution S	Statement A: App	proved for	· public release, o	distribution is u	nlimited.					
								<u> </u>		
								$\overline{}$	 	
								 		
							_		 	
								 		
								├──		
								├	├	
	•							 	<u> </u>	
										
									├	
								——	<u> </u>	
								<u> </u>		
								<u> </u>		
		,								
							1.			
						· · · · · · · · · · · · · · · · · · ·	 	\vdash		
						15. TOTAL	0		0	
G. PREPARED	BY: /K	1	H.DATE.	I. APPROVED E	3 Y :	1-0. 101111	J. DATE	2		
11 iAm	n WKM		SEPTE 1 0 20	be co		P.	1,7.	١.		
<u> </u>		Why			Mim	44	1	105		
DD FÖRM 142	23-1, AUG 96 (EG)	7	PREVIOUS I	EDITION MAY BE US	ED		Pa	ge 1 of	1 Pages	
		•				Designes	d using Perform	Pro, WHS/	D/or, Aug 96	